


**McHale**

**Square Bale Wrapper**

**998 SERIES**

**998**



**McHale Engineering Limited**



Conveyor loading of double bale



Wrapping of double bale



Simultaneous loading & wrapping



***“Superior wrapping in a single cycle”***

# “High Capacity Square Balewrapper”

The McHale 998 square balewrapper is the versatile solution for wrapping square bales. Common sense design, quality components and precision engineering make the 998 the trusted choice for contractors and farmers who demand high output and consistence performance in all conditions and terrain. Packed with features including conveyor loading and fast positioning of the square bale into the wrapping position, hydraulically operated cut and tie system, auto bale levelling and a two point linkage mounted, swivel head-stock. The 998 wraps all bale sizes from 80cm X 70cm to 160cm X 120cm including double bales. The in-cab control unit enables the operator to change bale sizes and select the desired number of film layers. When set, one touch of the auto start button operates the complete cycle from start to finish. The patented roller angle measuring device gives a consistent and even wrapping regardless of the bale size or shape and also allows for extra care wrapping.

## PTO Power

The McHale 998 square balewrapper has a fully integrated, PTO driven load-sensing hydraulic system. This simplifies tractor changeover and gives consistent working every time, eliminating problems with differing tractor hydraulic systems, oil flows, standards and temperature of oil.



## Cut & Tie

The McHale hydraulically operated Cut and Tie System, cuts and holds the film in all weather conditions with the maintenance free, automatic accumulator priming. This time saving device eliminates the need to manually re-attach the film always holding it ready for the next stage.



## Dispenser

The unique McHale film dispenser keeps the angle of the dispensing unit constant during the wrapping process. This ensures consistent stretch throughout the different side lengths of the bale. It also features the quick fit film mechanism now common to all McHale machines.





Expert Control Console



Fast Conveyor Loading



Lifting Bale to Wrapping Position



***practical design and quality components..."***

*optional extras...*



Accurate Rotation of Bale While Wrapping



998 Unloading Conveyor Up



998 Unloading Conveyor Down





# 998

## Square Bale Wrapper

### Distributed by

#### Technical Data

Trailed Model [Square]	998
Transport Length	7.30 m (24')
Transport Width	2.92 m (9'7")
Transport Height	3.5 m (11'6")
Weight (unladen)	3875Kg (8,680 Lbs)
Wheel Dimensions	16.0/70-20 12 ply
Attachment to Tractor	Cat II/III lower linkage SAE 6 spline PTO Shaft
P.T.O. speed	500 - 800 RPM
Hydraulic req:	
1 double acting spool valve	Hydraulic drawbar
1 single acting spool valve	Floating conveyor
Film Layers:	
Operator selected	- 2/ 2+2/ 2+2+2 (2 - 8 layers)
Electrical Requirements	12 volt DC @ 5A
Drivers Control	Electronic Control Box

#### Bale Sizes

From 80cm x 70cm to 160cm x 120cm including double bales  
Max Bale length 180cm

#### Standard Equipment

2 x 750 mm dispensers  
Self contained load sensing hydraulic system  
Conveyor pick up, loading and unloading  
Fully automatic electronic operation  
In cab control of bale size and film layers  
Automatic Cut & Hold  
Low ground pressure tyres  
Brakes and lights  
Hydraulic drawbar

#### Optional Equipment

Remote Control kit  
Round Bale Kit  
Unloading Conveyor

Due to the continuing policy of product improvement, we reserve the right to alter specifications and construction without notice.

# McHale

McHale Engineering Limited, Tel: 353 94 952 0300 Email: sales@mchale.net  
Castlebar Rd. Ballinrobe Co.Mayo, Ireland. Fax: 353 94 952 0356 Web: www.mchale.net